

WELDAS[®] *The Professional's Choice*



2013 / 2014

Europe Catalog No. 0913



WELCOME TO THE WELDAS EUROPE CATALOG !

This catalogue wants to inform you about the Weldas products which are manufactured in our own, by TÜV, ISO certified factory. Most of the products are also CE certified, again by TÜV, and you find the information with the products including the numbers of the certificates, copies of these certificates are always at your disposal: www.weldas-ce.com. The pH, CHROMIUM (VI) and PCP levels of all materials in Weldas products have been tested and meet CE health standards. Colouring is done by natural materials. Please visit for more information our website: www.weldas.com.



WILKOMMEN IM WELDAS EUROPE KATALOG !

Dieser Katalog informiert Sie über die Weldas Produkte, die in unserem, vom TÜV, ISO zertifiziertem Werk, hergestellt werden. Die meisten Weldas Produkte sind vom TÜV nach den CE-Richtlinien zertifiziert. Die Nummern der Zertifikate entnehmen Sie bitte der Produktbeschreibung. Kopien sind selbstverständlich jederzeit zu erhalten: www.weldas-ce.com. Die pH-, Chromium-(VI) und PCP-Werte aller Weldas Materialien sind nach den CE Gesundheitsstandards getestet. Zur Materialfärbung werden nur natürliche Farben verwendet. Bitte besuchen Sie auch unsere Homepage: www.weldas.com.



BIENVENUE DANS LE CATALOGUE WELDAS !

Ce catalogue a pour but de vous informer sur les produits Weldas, fabriqués dans notre propre usine et certifiés ISO par TÜV. La plupart de nos produits sont aussi certifiés CE pas TÜV. Vous trouverez ces information avec le produits, y compris les numéros des certificats, les copies de ces certificats sont toujours à votre disposition: www.weldas-ce.com. Les niveaux de pH, Chrome (VI) et de PCP sont testés sur chaque produit Weldas et sont conformes aux standards de la santé CE. Les couleurs proviennent de matériaux naturels. Vous pouvez aussi visiter notre site: www.weldas.com.



WELKOM IN DE WELDAS EUROPE CATALOGUS !

Deze catalogus wil u informeren over de Weldas producten gefabriceerd in onze eigen, door TÜV, ISO gecertificeerde fabriek. De meeste van onze producten zijn CE gecertificeerd, door TÜV. De informatie hierover vindt u terug bij de producten, inclusief de nummers van de certificaten. Kopieën van deze certificaten zijn ten alle tijden bij ons verkrijgbaar: www.weldas-ce.com. De pH, CHROMIUM (VI) en PCP waarden van alle materialen in de Weldas producten zijn getest en voldoen aan de CE standaards. Verven van de producten gebeurt met natuurlijke materialen. Bezoek voor meer informatie onze website: www.weldas.com.



BEM-VINDO AO CATÁLOGO EUROPEU DA WELDAS!

Este catálogo contem informações sobre os produtos Weldas produzidos na nossa própria fábrica, a qual possui certificação TÜV e ISO. A maior parte dos nossos produtos são também certificados pela CE e TÜV. Encontrará essa informação junto aos produtos. O número das certificações, assim como as cópias das mesmas estarão sempre à sua disposição: www.weldas-ce.com. Os níveis de PH, Crômio e PFC de todos os materiais dos produtos Weldas foram submetidos a teste e obedecem às normas de saúde da CE. A coloração é feita através de substâncias naturais. Convidamo-lo a visitar o nosso site, onde poderá obter mais informações: www.weldas.com.



BIENVENIDO AL CATALOGO DE WELDAS EUROPE !

Este catalogo les ayudara informales sobre los productos de Weldas. Los productos son confeccionado bajo las normas de TÜV y llevan certificado ISO. La mayoría de los productos llevan también el certificado CE, impreso en los mismos productos Weldas. También les podemos facilitar copias de los certificados: www.weldas-ce.com. El pH, cromo y el nivel de PCP han sido ensayado y son conforme con los estándar CE de salud. El tenido de la piel se hace con materiales naturales. Por favor visiten nuestra pagina web: www.weldas.com.



BENVENUTI NEL CATALOGO WELDAS EUROPA !

Questo catalogo è stato concepito per informare su quanto la WELDAS produce in proprio attraverso un'azienda certificata ISO dal TUV. La maggior parte dei prodotti sono anche certificati CE, sempre dal TUV, e le copie di questi certificati sono comunque a vostra disposizione: www.weldas-ce.com. Il PH, il cromo (VI) ed i livelli PCP di tutti i materiali nei prodotti Weldas sono stati testati ed incontrano gli standard CE. La colorazione viene effettuata utilizzando solo sostanze naturali. Potete visitare il nostro sito all'indirizzo: www.weldas.com.



WITAMY W KATALOGU WELDAS EUROPE !

W niniejszym katalogu chcemy przedstawić Państwu produkty Weldas produkowane w naszej fabryce, certyfikowanej przez TÜV oraz spełniającej normy ISO. Większość naszych produktów jest również przetestowana przez TÜV i posiada niezbędne certyfikaty CE, które są zawsze do Państwa dyspozycji i o których więcej możecie Państwo przeczytać przy poszczególnych produktach: www.weldas-ce.com. Materiały używane do produkcji są regularnie testowane i spełniają wszelkie wymagania CE dla poziomów PH, chromu VI oraz PCP, a ich barwienie następuje przy użyciu naturalnych barwników. Po więcej informacji zapraszamy na naszą stronę: www.weldas.com.



VÄLKOMMEN TILL WELDAS EUROPE'S KATALOG!

Med denna katalog vill vi informera er om Weldas' produkter, som är tillverkade i vår egen, av TÜV, ISO certifierade fabrik. De flesta av våra produkter är även CE certifierade, också av TÜV, och du kan hitta den informationen tillsammans med produkterna, inkluderande antalet certifikat. Kopior av certifikaten finns alltid tillgängliga för er: www.weldas-ce.com. pH-värdet, Krom (VI), och PCP halterna för alla material i Weldas' produkter har testats, och möter CE's hälsostandard. Färgning är gjord med naturmaterial. Besök gärna vår hemsida www.weldas.com för mer information!



VELKOMMEN TIL WELDAS EUROPA'S KATALOG !

Med dette katalog vil vi informere om Weldas produkterne, som er fremstillet på vores egen fabrik, der er TÜV og ISO certificeret. Mange af produkterne er også CE certificeret, også af TÜV. Herudover er der informationer om produkterne, antal certifikater som ligger på vores hjemmeside til fri download: www.weldas-ce.com. Ph, Crom6 og formaldehyd grænserne på alle Weldas produkter er testet og overholder EU standard. Indfarvning er udført med naturprodukter. Ønskes flere informationer, kan disse findes på: www.weldas.com.



VELKOMMEN TIL WELDAS EUROPA KATALOGEN !

Denne katalogen vil informere deg om Weldas produktene som er produsert i vår egen, by TÜV, ISO sertifiserte fabrikk. De fleste produktene er også CE sertifiserte, igjen av TÜV, og du vil finne informasjon inkludert nummrene på sertifikatene, kopier av disse sertifikatene er alltid tilgjengelige: www.weldas-ce.com. PH, CHROMIUM(VI) og PCP nivåene i alle Weldas produktene har blitt testet og imøteser CE helsestandarden. Fargingen er gjort med naturlige materialer. For mer informasjon besøk vår hjemmeside: www.weldas.com.



TERVETUOLOA TARKASTELEMAAN WELDAS EUROPEEN LUETTELOA!

Tämä luettelo haluaa antaa tietoja Weldasin tuotteista, jotka on valmistettu omassa TÜV- ja ISO-sertifioidussa tehtaassamme. Suurimmalla osalla tuotteista on myös TÜV:n myöntämä CE-sertifikaatti. Löydät nämä tiedot tuotteiden kohdalta yhdessä sertifikaatin numeron kanssa. Voit halutessasi saada kopiot sertifikaateista: www.weldas-ce.com. Kaikkien Weldasin tuotteissa käytettyjen materiaalien pH-, kromi(VI)- ja PCP-arvot on testattu, ja ne ovat CE-terveysstandardien mukaisia. Värjäys on tehty luonnollisilla aineilla. Enemmän tietoa löytyy verkkosivuiltamme : www.weldas.com.

TERE TULEMAST KOMPANII WELDAS EUROOPA KATALOOGI !

Käesoleva kataloogiga me soovime Teid informeerida Weldas toodetest. Weldas on TÜV-i liige, sellepärast kõik meie tehases valmistatud tooted sertifitseeritakse ISO-ga. Suurem osa toodangut omab samuti märki CE. Teie käsutuses on sertifikaatide loetelu ja koopiad koos toodetega: www.weldas-ce.com. Happesuse (pH), kroomi (IV) ja PCP tase Weldas toodetes on testitud ja vastab CE tervise standartile. Toodete värvimine on teostatud naturaalsete ainetega. Täpsema informatsiooni saamiseks, külastage meie web : www.weldas.com.

LAIPNI LŪGTI WELDAS EUROPE KĀLOGĀ !

Šajā katalogā vēlamies informēt par Weldas precēm, ražotām mūsu pašu rūpnīcā, kurai ir TUV un ISO sertifikāts. Vairumam preču ir arī TUV izsniegts CE sertifikāts, par kuru vajadzīgo informāciju jūs atradīsiet pie attiecīgajām precēm, ieskaitot sertifikātu numurus, šo sertifikātu kopijas vienmēr ir jūsu rīcībā: www.weldas-ce.com. pH, hroma (VI) un PCP līmenis visos Weldas precēs izmantotajos materiālos ir pārbaudīts un atbilst CE veselības standartiem. Krāsām ir izmantoti dabīgi materiāli. Lai iegūtu vairāk informācijas, lūdzu apmeklējiet mūsu mājas lapu: www.weldas.com.

SVEIKI ATVYKĖ Į WELDAS EUROPE KATALOGĄ!

Šiame kataloge norime jus informuoti apie Weldas produktus, kuriuos gaminame patys gamykloje turinčioje ISO sertifikata. Didesnė dauguma mūsų produkcijos turi EB tipo tyrimo sertifikatus. Visus sertifikatus ir informaciją apie produktus rasite mūsų internetiniame puslapyje: www.weldas-ce.com. Visi Weldas produktai yra patikrinti dėl PH lygio, chromo kiekio ir PCP ir atitinka visus EB keliamus sveikatos reikalavimus. Taip pat norime paminėti, kad visi mūsų produktai yra dažomi natūraliomis medžiagomis. Dėl platesnės informacijos apie mūsų produktus prašome apsilankyti mūsų internetiniame puslapyje: www.weldas.com.

Добро пожаловать в Европейский каталог компании Weldas!

В этом каталоге мы хотим представить Вам информацию о продукции Weldas. Weldas является членом TÜV, поэтому все изделия, производимые на нашем заводе, сертифицируются ISO. Большая часть продукции имеет также знак CE. Также в Вашем распоряжении вместе с продукцией перечень сертификатов и их копии: www.weldas-ce.com. Уровни pH, хрома (IV) и PCP материалов в продукции Weldas тестированы и соответствуют стандартам здоровья CE. Окраска изделий произведена натуральными веществами. Для получения более подробной информации посетите наш сайт: www.weldas.com.

VÍTEJTE NA STRÁNKÁCH WELDAS EUROPE KATALOGU !

Tento katalog má za cíl vás informovat o produktech Weldas, které jsou vyráběny v naší vlastní, TÜV a ISO certifikované továrně. Většina produktů je nejen podle CE (evropských norem) certifikována, ale rovněž také zkoušena TÜV a informace o tom naleznete pod číslem certifikátu na výrobku. Kopie certifikátů jsou vám vždy k dispozici: www.weldas-ce.com. Hodnoty pH, Chromu (VI) a výkonostní stupně všech používaných materiálů firmou Weldas byly testovány a vyhovují CE evropským zdravotním normám. Barvení je provedeno přírodními materiály. Prosim, pro více informací navštivte naše webové stránky: www.weldas.com.

VITAJTE V KATALÓGU WELDAS EUROPE !

Tento katalóg by Vás rád informoval o produktoch Weldas, ktoré sú vyrábané v našej vlastnej továrni, certifikovanej podľa noriem TÜV a ISO. Väčšina týchto produktov je takisto certifikovaná podľa noriem CE, a tiež podľa noriem TÜV. V katalógu nájdete pri produktoch informácie ohľadom počtu certifikátov. Kópie týchto certifikátov budete mať neustále k dispozícii: www.weldas-ce.com. Hodnoty pH, chrómu a PCP všetkých materiálov v produktoch Weldas sú testované a vyhovujú európskym zdravotným normám CE. Zafarbenie produktov je realizované farbivami z prírodných materiáloch. Prosim navštívte našu webovú stránku: www.weldas.com, kde získate viac informácií.

KÖSZÖNTI ÖNTA WELDAS EURÓPA CATALOG !

Ez a katalógus a Weldas termékekről nyújt Önnek információt, melyek a saját, TÜV illve ISO minősítéssel rendelkező gyárunkban készültek. A termékeink többsége CE tanúsítvánnyal illetve TÜV bevizsgálással rendelkezik. A tanúsítvány számára vonatkozó hivatkozást a termékek nálálja, és ezen tanúsítványok másolata mindenkor az Ön rendelkezésére áll: www.weldas-ce.com. A Weldas termékek anyagainak pH, Chromium (VI) és PCP szintjeit mindenkor ellenőrzik, melyek a CE egészségügyi standard előírásainak megfelelnek. A termékek színezése csak természetes anyagokkal történik. Kérjük további információért keresse fel honlapunkat: www.weldas.com.

BINE AȚI VENIT LA CATALOGUL WELDAS EUROPE!

Acest catalog vă informează despre produsele Weldas, care sunt fabricate în fabrici proprii, certificate TUV sau ISO. Majoritatea produselor sunt atestate CE, de asemenea și TUV și puteți găsi toate informațiile despre produse, incluzând numărul certificatelor, copii ale acestora sunt la dispoziția dumneavoastră: www.weldas-ce.com. Nivelul pH, Crom (VI) și PCP pentru toate materialele produselor Weldas au fost testate și îndeplinesc standardele de sănătate CE. Vopsirea se realizează cu materiale naturale. Pentru informații suplimentare vă rugăm să vizitați website-ul nostru: www.weldas.com.

ДОБРЕ ДОШЛИ НА СТРАНИЦИТЕ НА КАТАЛОГА НА WELDAS!

Този каталог има за цел да ви информира за продуктите, предлагани от Weldas и произведени в сертифицираната по ISO и TÜV фабрика на Weldas. Повечето от продуктите имат CE маркировка и сертификати, издадени от TÜV. Информация за номерата на сертификатите и самите сертификати са винаги на разположение на клиентите: www.weldas-ce.com. Стойността на pH, съдържанието на хром (VI) и PCP нивото на всички материали, от които се произвеждат продуктите на Weldas съответстват на CE здравните изисквания. Естествени материали се използват при багренето на продуктите. За повече информация посетете: www.weldas.com.

DOBRODOŠLI V EVROPSKEM KATALOGU WELDAS !

S tem katalogom Vas želimo obvestiti o izdelkih Weldas iz naše lastne TÜV in ISO certificirane proizvodnje. Večina naših izdelkov ima CE certifikat (prav tako izdan s strani TÜV), kar je ob izdelkih označeno s številko certifikata, kopije certifikatov pa so vam vedno na voljo: www.weldas-ce.com. Vrednosti pH, heksavalantnega kroma in PCP v materialih, ki jih uporablja Weldas, so preverjene in ustrezajo standardom EN. Za barvanje uporabljamo le naravne materiale. Vabimo Vas, da obiščete našo spletno stran: www.weldas.com.

DOBRODOŠLI U EUROPSKI WELDAS-ov KATALOG !

Ovaj katalog Vas želi informirati o Weldasovim proizvodima koji su proizvedeni u našoj vlastitoj tvornici, koja ujedno posjeduje i ISO certifikat izdan od strane TUV certifikacijske kuće. Velika većina naših proizvoda certificirana je i ima CE oznaku, izdanu od TUV-a. Uvijek možete saznati sve informacije o proizvodima uključujući i broj certifikata. Isto tako kopije ovih certifikata u svakom trenutku dostupne su vam preko naše web stranice: www.weldas-ce.com. pH, krom (VI) i PCP razine svih Weldasovih proizvoda permanentno se provjeravaju i testiraju, te zadovoljavaju sve CE zdravstvene standarde. Bojanje se vrši prirodnim materijalima. Za više informacija molim Vas posjetite našu web stranicu: www.weldas.com.

DOBRODOŠLI U WELDASOV KATALOG ZA EVROPU!

Katalog vam pruža informacije o Weldasovim proizvodima, proizvedenim u našoj TÜV i ISO sertifikovanoj fabrici. Večina proizvoda poseduje CE certifikat izdat od strane TÜV - a, takođe u katalogu možete pronaći informacije o broju sertifikata za svaki proizvod, kopije istih su vam uvek na raspolaganju: www.weldas-ce.com. PH, CHROMIUM (VI) i PCP nivou svih materijala korišćenih u Weldasovim proizvodima su testirani i u skladu sa CE zdravstvenim standardima. Za bojenje proizvoda su korišćeni prirodni materijali. Za više informacija posetite našu internet prezentaciju na: www.weldas.com.

COMFOflex® WELDING GLOVES




Cotton lining



Foam lining






COMFOflex® lining




COMFOflex®

10-2000



	S, L, XL, XXL LH		35 cm.
	L/18"		46 cm. (L/18")

- A-grade cow split leather
- Hand COMFOflex® lined
- Cuff cotton lined
- Wide body model
- Size L also available in Left Hand only pairs (LH) and 18" (46 cm.)

 95% KEVLAR® 4 ply + 5 ply

CE COMFOflex®



EN 12477 (09.2005) TYPE A
TÜV BP 60017622 0001
TÜV 21128415 002




Ω ELECTROSTATIC TESTED Ω

10-2178




	L		35 cm.
---	---	---	--------

- Same features like the 10-2000 glove
- One finger model

 95% KEVLAR® 4 ply

CE COMFOflex®

EN 12477 (09.2005) TYPE A
TÜV BP 60017622 0001
TÜV 21128415 002



10-2000CF



	L, XL		35 cm.
---	-------	---	--------

- A-grade cow split leather
- Hand COMFOflex® lined
- Cuff cotton lined
- Wide body model
- **NO CHROMIUM USED DURING TANNING**

 95% KEVLAR® 4 ply + 5 ply

CE COMFOflex®

EN 12477 (09.2005) TYPE A
TÜV BP 60017622 0001
TÜV 21128415 002



COMFOflex® WELDING GLOVES

10-2087



L, XL



35 cm.

- A-grade cow shoulder split leather
- Hand full COMFOflex® lined
- Cuff cotton lined
- Wide body model



95%

KEVLAR® 3 ply



EN 12477 (09.2005) TYPE A/B
TÜV BP 60017622 0001
TÜV 21128415 002



413X3X



4133



www.weldas.com

Ω ELECTROSTATIC TESTED Ω

10-2900



L, XL



36 cm.


- A-grade cow split leather
- Hand COMFOflex® and wool lined
- Cuff flame retardant lined
- Wide body model



70%

250°C CONTACT

KEVLAR® 4 ply




EN 12477 (09.2005) TYPE A
TÜV BP 60017622 0001
TÜV 21128415 002



423X4X



4233



www.weldas.com

10-2655



M, L, XL, XXL



37 cm.

- Hand bison leather
- Cuff split cowhide
- Inner back of the hand COMFOflex® lined
- Cuff flame retardant lined
- **CHROMIUM < 2 mg./kg.**



30%

250°C CONTACT

KEVLAR® 3 ply + 4 ply + 5 ply



EN 12477 (09.2005) TYPE A/B
TÜV BP 21146065 001
TÜV 556-10-0071/01



423X4X



4144



www.weldas.com

10-2850



L, XL



36 cm.

- Grain and split deerskin
- Backhand COMFOflex® lined and inner cuff flame retardant lined
- Highest comfort level



30%

KEVLAR® 4 ply




EN 12477 (09.2005) TYPE A/B
TÜV BP 60017622 0001
TÜV 21128415 002



313X4X



3133



www.weldas.com

COMFOflex® WELDING GLOVES

10-2750



L, XL, XXL



36 cm.

- A-grade cow grain leather
- Backhand COMFOflex® lined and cuff cotton lined
- Back palm reversed grain (suède)
- Oil and weather resistant
- Excellent quality and comfortable to wear



30%


250°C CONTACT

KEVLAR® 4 ply



CE **STEERSOtuff**®

EN 12477 (09.2005) TYPE A/B
TÜV BP 60017622 0001
TÜV 21128415 002



Ω ELECTROSTATIC TESTED Ω

10-2755



L, XL



36 cm.

- Combined features:
- on the back of our 10-2385
- and the innerhand of the 10-2750 with extra comfort padges
- Oil and weather resistant
- Excellent quality and comfortable to wear



30%


350°C CONTACT

KEVLAR® 4 ply



CE **COMFOflex**®

EN 12477 (09.2005) TYPE A/B
TÜV BP 60022511 0001
TÜV 21136762 003



10-2385



L, XL, XXL



35 cm.

- A-grade cow side split leather
- Hand full COMFOflex® lined and cuff full flame retardant lined
- Wide body model
- Aluminized back is designed to reflect radiant heat and has a layer of split deerskin in between the back and COMFOflex® lining




35%

KEVLAR® 4 ply



CE **COMFOflex**®

EN 12477 (09.2005) TYPE A
TÜV BP 60017622 0001
TÜV 21128415 002



+



=



44-3006LB, 44-3008LB, 44-3009BF:
see page 32

COTTON LINED WELDING GLOVES

10-2392



L, XL
LH/L, LH/XL

L/18"



34 cm.



46 cm. (L/18)

- Cow shoulder split leather
- Full cotton lined
- Straight thumb helps the user to handle a mig gun a lot better
- Size L also available in 18" (46 cm.)
- Size L and XL also available in Left Hand only pairs (LH)




95%

KEVLAR® 3 ply



CE

EN 12477 (09.2005) TYPE A/B
TÜV BP 60017622.0002
TÜV 21128415 002



10-2392 MIT



L



34 cm.

- One finger model of glove 10-2392
- Cow shoulder split leather
- Full cotton lined




95%

KEVLAR® 3 ply



CE

EN 12477 (09.2005) TYPE A/B
TÜV BP 60017622.0002
TÜV 21128415 002



10-2392GB



L, XL



34 cm.

- Same as glove 10-2392, but *Golden Brown™* model
- Cow shoulder split leather
- Full cotton lined
- Straight thumb helps the user to handle a mig gun a lot better




95%

KEVLAR® 3 ply



CE

EN 12477 (09.2005) TYPE A/B
TÜV BP 60017622.0002
TÜV 21128415 002



10-2150



L, XL



36 cm.

- Innerhand is made of cow grain leather to make it oil and weather resistant
- All other parts of the glove are made of cow split leather
- Full cotton lined



95%

250°C CONTACT

CE

EN 12477 (09.2005) TYPE A/B
TÜV BP 60022511.0001
TÜV 21136762.003



COTTON LINED WELDING GLOVES

10-2101



L, XL



34 cm.

- The 10-2101 is our general purpose glove of the range
- Cow shoulder split leather
- Full cotton lined



90%

CE

EN 12477 (09.2005) TYPE A/B
TÜV BP 60017622 0003
TÜV 21128415 002



413X4X



3134



www.weldas.com

10-2101GB



L, XL



34 cm.

- Same as glove 10-2101, but *Golden Brown™* model
- Cow shoulder split leather
- Full cotton lined



90%

CE


EN 12477 (09.2005) TYPE A/B
TÜV BP 60017622 0003
TÜV 21128415 002



413X4X



3134



www.weldas.com

Weldas sizing incorporates EN420 size standards, the lining and the intended use

(EN420)

GLOVE AND HAND SIZE REFERENCE

Hand Size Index	7½	8½	9	9½	10½
Weldas Size Label	S	M	L	XL	XXL
Measurement mm	190	216	229	241	267



WWW.WELDAS-CE.COM

SOFTouch™ TIG WELDING GLOVES



**Weldas SOFTouch™ TIG gloves:
10-1003, 10-1005, 10-1009 and 10-1050
have seamless index finger for better feed of TIG wires!**

10-1003



M, L, XL, XXL



35 cm.

- Oil and abrasion resistant
- Reversed (suède) grain pig leather
- Seamless index finger

KEVLAR® 3 ply



SOFTouch™

EN 12477 (09.2005) TYPE A/B
TÜV BP 60017622 0003
TÜV 21128415 002



10-1005



S, M, L, XL, XXL



35 cm.


- Very smooth and pliable
- Calfskin grain leather
- Seamless index finger

KEVLAR® 3 ply



SOFTouch™

EN 12477 (09.2005) TYPE A/B
TÜV BP 60017622 0003
TÜV 21128415 002



Ω ELECTROSTATIC TESTED Ω

10-1007



M, L, XL



35 cm.

- Goatskin palm
- A-grade cow split leather back and cuff

KEVLAR® 3 ply



SOFTouch™

EN 12477 (09.2005) TYPE B
TÜV BP 60017622 0003
TÜV 21128415 002



SOFTouch™

TIG WELDING GLOVES

10-1009



M, L, XL, XXL



35 cm.

- Hand made of goatskin
- Very soft and excellent feeling
- Cuff made of split cow leather
- Seamless index finger

KEVLAR® 3 ply



SOFTouch™

EN 12477 (09.2005) TYPE B
TÜV BP 60017622 0004
TÜV 21128415 002



412X4X



2111



www.weldas.com

Ω ELECTROSTATIC TESTED Ω

10-1050



M, L, XL, XXL



32 cm.

- Outer hand made of soft black grain cow leather
- White grain goat leather spacers on the sides of the fingers
- Curved cuff made of supple split cow leather, trimmed at the edge with white grain goat leather
- Thin fleecy, flame retardant lining at the back of the hand
- Seamless index finger

KEVLAR® 3 ply



SOFTouch™

EN 12477 (2001 + A1 : 2005)
TYPE A/B
TÜV BP 60042511 0001
TÜV 21177510 001



412X4X



2142



www.weldas.com

10-2304



M, L, XL, XXL



32 cm.

- Hand made of deerskin
- Very soft feeling
- Cuff made of split cow leather

KEVLAR® 3 ply



DEERSOsoft®

EN 12477 (09.2005) TYPE A/B
TÜV BP 60017622 0004
TÜV 21128415 002



413X4X



2133



www.weldas.com

10-2644



M, L, XL, XXL



32 cm.

- Hand bison leather
- Cuff split cowhide
- **CHROMIUM < 2 mg./kg.**



KEVLAR® 2 ply + 3 ply



ThunderingBison™

EN 12477 (09.2005) TYPE A/B
TÜV BP 21146065 001
TÜV 556-10-0071/01



412X4X



2143



www.weldas.com

WORKING GLOVES

10-2660



L, XL



23 cm.

- Work glove designed for general purpose applications
- Grain pig leather with stretchy spandex glove back
- Wrist closable with a hook and loop closure for good fit of the glove

CE minimal risk



According to 89/686/EEC:
not to be used in an
industrial environment

10-2670



M, L, XL, XXL



23 cm.

- Work glove designed for general purpose applications
- Grain goat leather with stretchy spandex glove back
- Wrist closable with a hook and loop closure for good fit of the glove

CE minimal risk



According to 89/686/EEC:
not to be used in an
industrial environment

10-2680



L, XL



23 cm.

- Work glove designed for general purpose applications
- Grain cow leather with stretchy spandex glove back
- Wrist closable with a hook and loop closure for good fit of the glove

CE minimal risk



According to 89/686/EEC
not to be used in an
industrial environment

www.weldas.com

WORKING GLOVES

10-2806



L




25 cm.

- Cow split leather
- Double leather in the palm
- Cotton lined
- Rubberized safety cuff

CE

EN 388 (2003)
TÜV BP 60017626 0001
TÜV 21128304 002



10-2209



S, M, L, XL, XXL




26 cm.

- A-grade cow split leather
- Cotton lined
- Rubberized safety cuff

CE

EN 388 (2003)
TÜV BP 60017626 0001
TÜV 21128304 002



10-2209LB



L, XL




26 cm.

- A-grade cow split leather
- Cotton lined
- Rubberized safety cuff
- *Lava Brown™* model

CE

EN 388 (2003)
TÜV BP 60017626 0001
TÜV 21128304 002



10-2207



L, XL




25 cm.

- Cow split leather
- Cotton lined
- Safety cuff

CE

EN 388 (2003)
TÜV BP 60017626 0001
TÜV 21128304 002



DRIVER GLOVES

10-2064



L, XL




24 cm.

- Durable split cow leather



EN 388 (2003)
TÜV BP 60017626 0002
TÜV 21128304 002



10-2336



M, L, XL




24 cm.

- Palm made of cow grain side leather
- Back made of split cow leather



EN 388 (2003)
TÜV BP 60017626 0002
TÜV 21128304 002



10-2633



M, L, XL, XXL



25 cm.


- Innerhand made of grain bison leather
- Back made of split cow leather
- **CHROMIUM < 2 mg./kg.**



KEVLAR® 3 ply



EN 388 (2003)
TÜV BP 21146066 001
TÜV 556-10-0071/02



10-2700



S, M, L, XL, XXL




26 cm.

- Cow grain side leather of the highest quality
- Oil and weather resistant



EN 388 (2003)
TÜV BP 60017626 0002
TÜV 21128304 002



SELECTION CRITERIA

Weldas offers a variety of materials, designs, construction patterns, and sizing to suit different needs and applications. Our products are tested for these factors according to the appropriate EN standards and certified by TÜV of Germany.

Choosing the right product is always important in making the workplace safe and productive. The factors to consider include one or more of the following.

PROTECTION

Resistance to heat, flame, molten metal splash, UV, electricity, cuts and punctures.

DURABILITY

Abrasion resistance, tensile strength, tear resistance, heat related dimensional change resistance, reinforced seams and stress points, as well as thread strength and flame resistance.

COMFORT

Sizing, fit, dexterity, fingertip sensitivity, weight, sweat vapor transmission and absorption, and climate and oil resistance

HEALTH


pH values, Chromium (VI), and pentachlorophenol (PCP) found in the product materials are within safe health levels.

The following is a general set of guidelines to assist you in your selection:

CHOICE OF LEATHER	
TYPE	FEATURES
Grain Deer Skin	Fit & Dexterity
Grain Goat Skin	Fit & Light Weight
Grain Cowhide	Pliable & Strong
Grain Pig Skin	Oil & Abrasion Resistant
Split Cowhide	Heat & Flame Resistant

CHOICE OF LINING	
TYPE	FEATURES
Cotton	Comfort, Price
COMFOflex®	Highest Level of Comfort, Moderate Heat Resistance
Wool & COMFOflex®	Highest Level of Heat Resistance, Comfort

LEATHER GRADES AND TERMINOLOGY



The skin of an animal is tanned in order to have usable leather for gloves, clothing and other products.

One recognizes leather in 3 types:

- **Grain leather:** smooth, pliable and water resistant;
- **Suede leather:** a mildly rough leather;
- **Split leather:** a rough to very rough leather.

The outer layer of leather (the hairside) is the 'grain' leather.

The grain leather has a smooth side and a smooth or, mostly, split or suede side.

The lower layers are, mostly, split leather on both sides.

Split leather is available in 3 qualities:

A, B and C grade.

Weldas Europe only uses the A and B grade in order to satisfy the quality needs of the customer.

CHOICE OF THUMB DESIGN



Straight thumb for finger tip sensitivity



Wing thumb for seamless palm durability



Keystone thumb for comfortable fit

EUROPEAN NORM & GUIDELINE EXPLANATION

INTRODUCING CE

In 1989, the Council of European Communities established directive 89/686/EEC which requires employers to use appropriate personal protective equipment (PPE). All protective gloves and clothing must be marked with appropriate CE markings according to its intended use.

Level 1

Simple product design for minimal risk and for applications below 50°C. Only self-certified and "CE Minimal Risk" markings allowed.

Level 2

Complex product design for industrial environments with heat, flame or mechanical risks.


Products must be tested, certified and marked to appropriate EN standards.

Level 3

In addition to level 2, an audited manufacturing quality assurance system is required.



Example of imprint of a Weldas certified glove:



Personal protection products for welding must have the right certification!

EN 388: Protective gloves against mechanical risk



Digit	Test Resistance	Level 1	Level 2	Level 3	Level 4	Level 5
1st	Abrasion (# cycles)	100	500	2000	8000	-
2nd	Blade Cut (index)	1.2	2.5	5.0	10.0	20.0
3rd	Tear (Newton)	10	25	50	75	-
4th	Puncture (Newton)	20	60	100	150	-

XXXX

EN 407: Protective gloves against thermal risk



Digit	Test Resistance	Digit	Test Resistance
1st	Burning Behaviour	4th	Radiant Heat
2nd	Contact Heat	5th	Small Splash of Molten Metal
3rd	Convective Heat	6th	Large Quantity of Molten Splash

XXXXXX

EN 420: Glove and hand size reference

Hand Size Index	7 1/2	8 1/2	9	9 1/2	10 1/2
Weldas Size Label	S	M	L	XL	XXL
Measurement mm	190	216	229	241	267

Weldas sizing incorporates EN420 size standards, the lining and the intended use.



EN 11611: Protective clothing for use in welding and allied processes

Subclause	Requirement	Class 1	Class 2
6.1	Tensile strength - woven outer textile material - leather	400 N 80 N	400 N 80 N
6.2	Tear strength	20 N	20 N
6.3	Burst strength	200 kPa	200 kPa
6.4	Seam strength - textile material - leather	225 N 110 N	225 N 110 N
6.5	Dimensional change of woven textile materials Dimensional change of knitted textile materials	≤ ± 3 % ≤ ± 5 %	≤ ± 3 % ≤ ± 5 %
6.6	Requirements for leather: fat content	≤ 15 %	≤ 15 %
6.7	Flame spread	ISO 15025:2000, Procedure A (surface ignition) ISO 15025:2000, Procedure B (edge ignition) No flaming to the top or either side edge No hole formation ^a No flaming or molten debris Mean afterflame ≤ 2 s Mean afterglow ≤ 2 s	ISO 15025:2000, Procedure A (surface ignition) ISO 15025:2000, Procedure B (edge ignition) No flaming to the top or either side edge No hole formation ^a No flaming or molten debris Mean afterflame ≤ 2 s Mean afterglow ≤ 2 s
6.8	Impact of spatter	15 drops	25 drops
6.9	Heat transfer (radiation)	RHTI 24 ≥ 7	RHTI 24 ≥ 16
6.10	Electrical resistance	> 10 ⁵ Ω	> 10 ⁵ Ω
6.11	Innocuousness	See 6.11	See 6.11

^a For ISO 15025:2000, Procedure B, this requirement is not applicable.

EN 12477: Protective gloves for welders (minimum requirements)

Requirements	EN	Type A Minimum Rating	Type B Minimum Rating
Electrical Insulation	EN1149-2	R≥10 ⁵ Ω	R≥10 ⁵ Ω
Abrasion Resistance	EN388	2 500 (cycles)	1 100 (cycles)
Blade Cut Resistance	EN388	1 Index 1.2	1 Index 1.2
Tear Resistance	EN388	2 25 N	1 10 N
Puncture Resistance	EN388	2 60 N	1 20 N
Burning Behaviour	EN407	3	2
Contact Heat Resistance	EN407	1 100 °C	1 100 °C
Convective Heat Resistance	EN407	2 HTI≥7	0 0
Small Molten Splash Resistance	EN407	3 25 Droplets	2 15 Droplets
Dexterity (pick up of rod dia.)	EN420	1 ≤11mm	4 ≤6.5mm

See for all certificates, testreports, manuals and declarations of conformity:

WWW.WELDAS-CE.COM

MANUFACTURER:



TESTING AND CERTIFICATION PARTNERS



TÜV Rheinland®



WWW.WELDAS-CE.COM

Weldas Europe B.V.
Blankenweg 18
NL-4612 RC Bergen op Zoom
Holland

Tel.: +31 164 27 46 50
Fax: +31 164 27 46 55
europe@weldas.com
www.weldas.com

KEVLAR is a registered trademark of E.I. DuPont Co.
Weldas is a registered trademark of Weldas Company
COMFOflex is a registered trademark of Weldas Co.
DEERSOsoft is a registered trademark of Weldas Co.
LAVAshield is a registered trademark of Weldas Co.
STEERSOtuff is a registered trademark of Weldas Co.
SWEATSOpad is a registered trademark of Weldas Co.
TURMOflex is a registered trademark of Weldas Co.
Yellowjacket is a registered trademark of Weldas Co.
COMBOframe is a trademark of Weldas Co.
Fire Fox is a trademark of Weldas Co.
Golden Brown is a trademark of Weldas Co.
Lava Brown is a trademark of Weldas Co.
PYTHONrap is a trademark of Weldas Co.
SOFTouch is a trademark of Weldas Co.
ThunderingBison is a trademark of Weldas Co.

YOUR DISTRIBUTOR:

